



PRODUCT
CATALOG

www.icrealtime.com

3 About IC Realtime

5 Dealer Portal

6 Dash Product Line

8 IP Solutions

Network Recorders | 8

IP Dome Cameras | 10

IP Bullet Cameras | 13

IP PTZ Cameras | 15

IP 180° / 360° / Multi-Lens Cameras | 18

19 ICEBOX Nema Boxes

20 Edge Line

21 Thermal Cameras

22 Analog Solutions

HD-AVS Recorders | 22

HD-AVS Dome Cameras | 24

HD-AVS Bullet Cameras | 26

HD-AVS PTZ Cameras | 28

29 Accessories

Mounting Accessories | 29

Power Supplies | 30

Network Switches & Accessories | 31

ABOUT IC REALTIME

Corporate Office

📍 3050 N. Andrews Avenue EXT,
Pompano Beach, FL 33064

☎ (866) 997-9009

West Coast Office

📍 14180 W. Van Buren St. B-105
Goodyear, AZ 85338

☎ (602) 910-3432

✉ sales@icrealtime.com

🌐 www.icrealtime.com

Your Security Is Our
Business, No Matter
What It Takes

- **MATT SAILOR**
CEO

OUR HUMBLE HISTORY

Established in 2006, IC Realtime has become a global innovator of video surveillance technology. We are a firm believer in that “How you do anything is how you do everything”. And so every day, and in every way, we strive to be the standard by which others are measured.

As an industry leader we were the first in the surveillance camera sector to introduce a 360-degree X 360-degree device. IC Realtime is a strong supporter of the new UL2802 performance testing standard for camera image quality. Our customer base includes Distribution & Strategic Partnerships, Security & A/V channel dealers, Industry Alliances and buying groups.

Today, we are more than excited to introduce you (or in some cases, reintroduce you) to the company that put seeing in realtime on the horizon, IC Realtime!

QUALITY PROFESSIONAL EQUIPMENT

With lifetime customer product support,
we've got you covered.



Dealer Onboarding

Personal one-on-one orientation that covers everything IC Realtime.



90 Day Replacement

Hassle Free replacement for products that fail within 90 days of purchase.



Lifetime Tech Support

Get a live agent under 10 minutes, or schedule a call at your convenience.



No Licensing Fees

Backward compatible systems with full upfront ownership & no limitations.



No Return Field Destroy

Defective products do not need to be returned and may be field Destroyed.



Free Upgrades

Free upgrade of product if ordered product is not available or in stock.

RESOURCES LIKE YOU'VE NEVER HAD BEFORE.

Manage your account with our web-based Dealer Portal:

- Order and Track Purchases
- Schedule Support Calls
- View Previous Orders & Quotes
- Manage Account Info 24/7
- View Invoices & Transactions
- Track RMA's & Returns



TO LOG INTO PORTAL:

Visit www.icrealtime.com & click 'Login' on the top right.

WANT TO BECOME A DEALER?

Visit www.icrealtime.com and schedule a demo today!

Welcome to the

IC HOME LINE OF SECURITY PRODUCTS

With IC Home Cloud, all alerts & footage are encrypted and securely retained off-site for up to 30 days. The IC Home app's easy to use playback feature makes reviewing historical footage as simple & easy as 1,2,3!



Cloud Security

128 bit AES encryption on footage & snapshots and 256 bit AES for personal data. Dash protects your privacy from all angles.



Instant Alerts

Create zones and set custom schedules to receive the alerts you really want.



Video History

Watch, share and export events effortlessly whether stored on the cloud or locally.



Stay Connected

Surround your home with smart security devices from the Dash product line.



A home surveillance solution reimagined to connect you to every corner of your home. Be the first to know, day or night, when something's not right.

DINGER



WiFi Video Doorbell

Super Wide Angle
PIR Detection
Night Vision
Works with Chimes

Two-Way Talk
NVR Compatible
1080P FHD Video
Micro SD Card Slot

FLOODER



WiFi Video Floodlight Camera

Super Wide Angle
PIR Detection
2 Floodlights
IP65 Weatherproof

Two-Way Talk
NVR Compatible
1080P FHD Video
Micro SD Card Slot

ORB



Pan / Tilt Home Security Camera

Autotracking
Flexible Installation
Private Mode
Two-Way Talk

NVR Compatible
1080P FHD Video
H.265 Codec
Micro SD Card Slot

GUARDI



Fixed Home Security Camera

Super Wide Angle
Magnetic Base
Small and Discreet
Two-Way Talk

NVR Compatible
1080P FHD Video
H.265 Codec
Micro SD Card Slot



NETWORK RECORDERS

IC Realtime's line of Network Video Recorders (NVRs) offer power, flexibility and scalability. From small business to large corporations to the unique needs of law enforcement, our recorders offer top of the line performance.



HARD DRIVE UPGRADES

Upgrade your recorder with additional surveillance grade recorder hard drives.

500GB - 10TB HDD's



NETWORK RECORDERS



NVR-EL128-4U12MP

128 Channel 3U Ultra 4K NVR. Up to 12MP IP Camera Support. 384Mbps Camera Throughput. Up to 128TB (No HDD Included).



NVR-6064K

64 Channel 2U Rackmount 4K NVR. Up to 12MP IP Camera Support. 384Mbps Camera Throughput. Up to 64TB (No HDD Included).



NVR-6032K

32 Channel 2U Rackmount 4K NVR. Up to 12MP IP Camera Support. 384Mbps Camera Throughput. Up to 64TB (No HDD Included).



NVR-6016K

16 Channel 2U Rackmount 4K NVR. Dual Gigabit Network Ports. Up to 12MP IP Camera Support. 320Mbps Camera Throughput. Up to 80TB (No HDD Included).



NVR-MX16POE-1U4K1

16 Channel 1U Shelfmount 4K NVR. Integrated 16 Port POE Switch. Up to 8MP IP Camera Support. 128Mbps Camera Throughput. Up to 16TB (No HDD Included).



NVR-MX08POE-1U4K1

8 Channel 1U Shelfmount 4K NVR. Integrated 8 Port POE Switch. Up to 8MP IP Camera Support. 128Mbps Camera Throughput. Up to 16TB (No HDD Included).



NVR-FX16POE-1U4K

16 Channel 1U Rackmount 4K NVR. Integrated 16 Port POE Switch. Up to 8MP IP Camera Support. 128Mbps Camera Throughput. Up to 16TB (No HDD Included).



NVR-FX08POE-1U4K

8 Channel 1U Rackmount 4K NVR. Integrated 8 Port POE Switch. Up to 8MP IP Camera Support. 128Mbps Camera Throughput. Up to 16TB (No HDD Included).



NVR-7516K

16 Channel 2U Rackmount 4K NVR. Integrated 16 Port POE Switch. Up to 8MP IP Camera Support. 200Mbps Camera Throughput. Up to 48TB (No HDD Included).



IP DOME CAMERAS

IC Realtime's line of IP Dome Cameras features top of the line surveillance cameras designed to survive harsh weather, vandals and more.



IPEL-D12V-IRW

12MP 4K IP Indoor/Outdoor Full Size Vandal Dome. Varifocal 2.7-12mm Motorized Lens (102° - 44°). 131 Feet Smart IR. POE+ Capable. AI (Advanced Intelligence) On-Board Analytics.



IPMX-D40F-IRW

4MP IP Indoor/Outdoor Small Size Vandal Dome. Fixed 2.8mm Lens (103°). 164 Feet Smart IR. Tinted Dome. POE Capable. AI (Advanced Intelligence) On-Board Analytics. H.265

IP DOME CAMERAS



IPMX-W20F-IRW

2MP IP Indoor/Outdoor Small Size wedge Vandal Dome. Fixed 2.8mm Lens (106°). 60 Feet IR. POE Capable. AI (Advanced Intelligence) On-Board Analytics. Built in Mic, IVS. H.265



IPMX-W40F-IRW

4MP IP Indoor/Outdoor Small Size wedge Vandal Dome. Fixed 2.8mm Lens (104°). 164 Feet IR. POE Capable. AI (Advanced Intelligence) On-Board Analytics. Built in Mic. H.265



IPMX-D20F-IRW

2MP IP Indoor/Outdoor Small Size Vandal Dome. Fixed 2.8mm Lens (110°). 98 Feet IR. POE Capable (Tinted Dome). IVS. H.265



IPMX-E20F-IRB

2MP IP Indoor/Outdoor Small Size Vandal Eyeball Dome. Fixed 2.8mm Lens (106°). 164 Feet IR. Built in Mic. POE Capable (Black Housing). H.265



IPMX-E40F-IRW-AI

4MP IP Indoor/Outdoor Small Size Eyeball Dome. iSniper+ Colored Starlight. Fixed 2.8 Lens (113°). 131 feet warm light LED illumination. POE Capable. AI On-Board Analytics. Marine. H.265



IPMX-E40F-IRW

4MP IP Indoor/Outdoor Small Size Eyeball Dome. Fixed 2.8mm Lens (113°). 164 Feet Smart IR. Built in Mic. POE Capable. AI (Advanced Intelligence) On-Board Analytics. H.265



IPFX-D20V-IRW

2MP IP Indoor/Outdoor Mid Size Vandal Dome. Varifocal 2.8-12mm Motorized Lens (106° - 29°). 131 Feet Smart IR. POE Capable. H.265



IPFX-D40V-IRW

4MP IP Indoor/Outdoor Mid Size Vandal Dome. Varifocal 2.7-13.5mm Motorized Lens (98° - 30°). IVS, 131 Feet Smart IR. POE Capable. MicroSD 128. H.265



IPFX-D80V-IRW

8MP IP Indoor/Outdoor Mid Size Vandal Dome. Varifocal 2.7-12mm Motorized Lens (110° - 40°). 164 Feet Smart IR. POE Capable. AI (Advanced Intelligence) On-Board Analytics.

IP DOME CAMERAS



IPFX-E20V-IRW

2MP IP Indoor/Outdoor Small Size Vandal Eyeball Dome. Varifocal 2.7-13.5mm Motorized Lens (108° - 28°). IVS, 131 Feet Smart IR. POE Capable. MicroSD 256GB. H.265. Built in Mic.



IPFX-E40V-IRW

4MP IP Indoor/Outdoor Small Size Vandal Eyeball Dome. Varifocal 2.7-13.5mm Motorized Lens (104° - 27°). IVS, 131 Feet Smart IR. POE Capable. MicroSD 256GB. H.265. Built in Mic.



IPFX-E80V-IRW

8MP IP Indoor/Outdoor Small Size Vandal Eyeball Dome. Varifocal 2.7-13.5mm Motorized Lens (113° - 31°). IVS, 164 Feet Smart IR. POE Capable. MicroSD 256GB. H.265. Built in Mic.



IPMX-E20F-IRW

2MP IP Indoor/Outdoor Small Size Vandal Eyeball Dome. Fixed 2.8mm Lens (106°). 164 Feet IR. Built in Mic. POE Capable. IVS, H.265 60fps.



IPEL-E80F-IRW

8MP 4K IP Indoor/Outdoor Mid Size Turret Style Dome. Fixed 2.8mm Lens (108°). 98 Feet Smart IR. POE Capable. AI (Advanced Intelligence) Analytics, FaceDetect, Built in Mic, H.265



IPEL-E80V-IRW

8MP IP Indoor/Outdoor Small Size Vandal Eyeball Dome. Varifocal 2.7-13.5mm Motorized Lens (113° - 31°). IVS, 164 Feet Smart IR. POE Capable. MicroSD 256GB. H.265. Built in Mic.



IPEL-D30V-IRW

3MP IP Indoor/Outdoor Full Size Vandal Dome. iSniper. Varifocal 2.8-12mm Motorized Lens (87° - 31°). 150 ft Smart IR. POE Capable. AI On-Board Analytics. People Counting 60fps H.265



IPEL-D40V-IRW

4MP IP Indoor/Outdoor Full Size Vandal Dome. Varifocal 2.7-1.35mm, Motorized Lens (104°-27°). 164 Feet Smart IR. POE Capable. AI (Advanced Intelligence) Analytics, MicroSD 128, H.264



IPEL-D20V-IRS

2MP IP Indoor/Outdoor Full Size Anti-Corrosion Vandal Dome. iSniper. Varifocal 4.1-16.4mm Motorized Lens (92° - 32°). 164 Feet Smart IR. POE Capable. AI On-Board Analytics. Marine. H.265



IP BULLET CAMERAS

IC Realtime's IP Bullet Cameras are designed for sleek, powerful surveillance that can survive harsh weather.



IPFX-B20V-IRW

2MP IP Indoor/Outdoor Mid Size Bullet. Varifocal 2.7-13.5mm vvvMotorized Lens (109° - 28°). 196 Feet Smart IR. Built in Mic. POE Capable. H.265



IPFX-B40V-IRW

4MP IP Indoor/Outdoor Mid Size Bullet. Varifocal 2.7-13.5mm Motorized Lens (104° - 28°). IVS, 197 Feet Smart IR. Built in Mic. POE Capable. H.265

IP BULLET CAMERAS



IPFX-B80V-IRW

8MP IP Indoor/Outdoor Mid Size Bullet. Varifocal 2.7-13.5mm Motorized Lens (113°-31°). IVS, 197 Feet Smart IR. Built in Mic. POE Capable. H.265



IPMX-B40F-IRW-AI

4MP IP AI Indoor/Outdoor Mid Size Bullet. iSniper+ 24/7 Color. Fixed 2.8mm Lens (113°). 66 Feet warm light LED illumination. POE Capable. AI (Advanced Intelligence) On-Board Analytics. H.265



IPMX-B20F-IRB

2MP IP Indoor/Outdoor Small Size Bullet. Fixed 2.8mm Lens (106°). 164 Feet IR. POE Capable (Black Housing). H.265



IPMX-B20F-IRW

2MP IP Indoor/Outdoor Small Size Bullet. Fixed 2.8mm Lens (106°). 164 Feet IR. Built in Mic. POE Capable. AI (Advanced Intelligence) On-Board Analytics. H.265



IPMX-B40F-IRW

4MP IP Indoor/Outdoor Small Size Bullet. Fixed 2.8mm Lens (103°). 164 Feet Smart IR. Built in Mic. POE Capable. AI (Advanced Intelligence) On-Board Analytics. H.265



IPEL-B12V-IRW

12MP 4K IP Indoor/Outdoor Full Size Bullet. Varifocal 2.7-12mm Motorized Lens (103° - 44°). 196 Feet Smart IR. POE + Capable. AI (Advanced Intelligence) On-Board Analytics. H.265



IPEL-B2012X-IRW

2MP IP Indoor/Outdoor Full Size Bullet. Varifocal 5.3 - 64mm Motorized Lens (58° - 4°). 492 Feet Smart IR. POE Capable. AI (Advanced Intelligence) On-Board Analytics. 60fps. H.265



IPEL-B80F-IRW

8MP IP Indoor/Outdoor Small Size Bullet. Fixed 2.8mm Lens (108°). 98 Feet Smart IR. PoE Capable. AI (Advanced Intelligence) On-Board Analytics.



PTZ CAMERAS

IC Realtime's next generation PTZ Cameras offer ultra high performance and are designed for powerful surveillance that can survive harsh weather. Most are equipped with Advanced Intelligence Video Analytics.

IP PTZ CAMERAS



IPEL-P2045X-IRW

2MP IP Full Size PTZ. 45X Optical Zoom. ISniper. 1804 Feet Smart Laser. Hi-POE Capable. AI (Advanced Intelligence) with Auto Object Tracking. (Goose neck Wall Mount Included). H.265



IPEL-P5030X-IRW

5MP IP Full Size PTZ. 30X Optical Zoom. 656 Feet Smart IR. Hi-POE Capable. AI (Advanced Intelligence) On-Board Analytics. (Wall Mount Included). H.265



IPEL-P8040X-IRW-AI

8MP IP Full Size 4K STARLIGHT PTZ. 40X Optical Zoom. 1640 Feet Smart IR. Hi-POE Capable. AI (Advanced Intelligence) On-Board Analytics. (Gooseneck Wall Mount Included). H.265



IPFX-P4030X-IRW1

4MP IP Mid Size PTZ. 30X Optical Zoom. 328 Feet Smart IR. POE + Capable. AI (Advanced Intelligence) On-Board Analytics. (Goose neck Wall Mount Included). H.265



IPEL-P2030X-IRS

2MP IP Full Size Anti-Corrosion PTZ. 30X Optical Zoom. ISniper. POE +. Basic Intelligence with Auto Object Tracking. (Wall Mount Included). Marine, 4.5-135mm, H.265



IPFX-P2030X-IRW

2MP IP Full Size PTZ. 30X Optical Zoom. 656 Feet Smart IR. AI (Advanced Intelligence) On-Board Analytics. (Gooseneck Wall Mount Included). H.265



ICIP-P2012S

2MP IP Mid Size PTZ. 12X Optical Zoom. POE + Capable. (Gooseneck Wall Mount Included). H.265



ICIP-P2012T

2MP IP Mid Size PTZ. 12X Optical Zoom. POE + Capable. (Flush Mount Included). H.265



MPTZ-2

4MP IP PTZ Done. 4X Optical Zoom. Basic Intelligence with Tripwire, Intrusion, and Abandoned/Missing Objects. POE Capable. H.265

ITM-9000

Integrated Mount Tester

The ITM-9000 is one of those tools that you will guard carefully from others on your staff -- believe us, you will never want to be without it. The ITM-9000 is a camera tester that spans three major surveillance technologies: IP, AVS, and Analog. This tester pumps out POE for camera power without the need of an injector or POE switch. It can display full camera statistics such as signal link quality, POE voltage and amperage, and two-way data kilobyte flow. Instantly see and measure the real-time performance of your IP cameras without the need for a laptop.

Ergonomic, Portable Design with One-hand Operation

Third Party IPC Support via ONVIF

Digital Multimeter Built In

Audio and RS485 Control

Ethernet Cabling Tester

Aim / Focus IP Cameras during install

Dual LED Flashlight

Inter-operable with AVS/TVI/AHD/CVBS

The ITM-9000 will save any integrator hundreds of hours that would have been wasted trying to hunt down difficult problems.



4K
SUPPORT

IP 180° & 360° SPHERICAL CAMERAS & MULTI-LENS CAMERAS



IPEL-M80V-IRW

4 x 2MP Multi Lens IP Dome. ISniper. 4 x 2.7 - 12 mm Motorized Lens (105° ~ 44°). 98 Feet of IR. POE+ Capable. AI (Advanced Intelligence) On-Board Analytics. H.265



IPEL-M40F-IRW

2 X 2MP Dual Lens IP Wedge Dome. ISniper. 2 X 2.8 Fixed Lenses (110°). 66 Feet of IR. Built-In Mic, POE Capable. AI (Advanced Intelligence). H.265



IPEL-MB80F-IRW

4x 2MP (8MP Total) IP Indoor/Outdoor 180° Panoramic Full Size Dome. ISniper. 4x 2.8mm Fixed Lens (180°). 98 Feet Smart IR. POE+ Capable. AI (Advanced Intelligence). H.265



IPEL-M80F-IRW

4x 2MP (8MP Total) IP 180° Panoramic Dome. iSniper. 4x 3.0mm Fixed Lens (180°). 98 Feet Smart IR. POE Capable. H.265 (WALL MOUNT AND POWER SUPPLY NOT INCLUDED)



IPEL-F12F-IRW

12MP IP Indoor/Outdoor 360° Spherical Dome. 1.98mm Fisheye Lens (360°). 30 Feet IR. Built in Microphone. POE Capable. AI (Advanced Intelligence) On-Board Analytics. H.265



IPEL-F50F-W


5MP Indoor 360° Spherical Dome. 1.4mm Fisheye Lens (360°). Built in Microphone. POE Capable. H.265



IPFX-S20F-IRW

2MP IP Indoor Mini Pinhole. 2.8mm Lens. POE Capable. AI On-Board Analytics. H.265

OUR ICEBOX NEMA BOXES ARE FOR YOUR TOUGHEST JOBS



Get it Powered
by Solar



Tough Enough to Handle the Most Extreme and Limited Locations

Customized surveillance recorders built to withstand the harshest weather conditions in the tough to integrate locations.

Harsh weather conditions sometimes destroy even the finest surveillance equipment. Regardless of intense local weather, clients need the protection video surveillance provides. That's where NEMA boxes come into the picture. NEMA boxes are graded at different levels depending on the amount of protection desired. These boxes can protect equipment from minor hazards like sunlight and dust all the way up to industrial chemicals and corrosive liquids or gasses.

The NEMA series consists of a full real-time Pentaplex recorder with internet accessibility, fused power distribution for all cameras and 120V AC outlets in a NEMA rated, fan cooled weatherproof box.



WHAT IS THE EDGE SERIES?

The line consists of an 8 channel NVR recorder with built-in POE and a great combination of 2-4MP bullet and dome IP cameras. Dealers can now compete with aggressive surveillance offerings and still maintain a 7 year warranty supported by a US based dealer and end user technical support.



2MP

4MP

IP Mini Bullet Camera with a 2.8mm fixed lens and true Day/Night viewing.

IPEG-B20F-IRW | IPEG-B40F-IRW



2MP

4MP

IP Bullet Camera with a 2.7mm~12mm varifocal lens and true Day/Night viewing.

IPEG-B20V-IRW | IPEG-B40V-IRW



2MP

4MP

IP Turret Style Camera with a 2.8mm fixed lens and true Day/Night viewing.

IPEG-E20F-IRW | IPEG-E40F-IRW



2MP

4MP

IP Dome Camera with a 2.8mm~12mm varifocal lens and true Day/Night viewing.

IPEG-D20V-IRW | IPEG-D40V-IRW



2MP

4MP

IP Dome Camera with a Fixed 2.8mm lens and true Day/Night viewing.

IPEG-D20F-IRW | IPEG-D40F-IRW



8CH

8 Channel Lite 4K NVR with 80Mbps Incoming Max. HDD not included.

NVR-208NS



THERMAL CAMERAS

IC Realtime's Thermal IP cameras offer dual lens solutions where thermal and visible video capture is desired. A perfect all-in-one indoor & outdoor solution monitoring in total darkness while retaining ability to confirm details.

In addition to built-in intelligent video analytics for detecting & analyzing moving objects, these devices use uncooled VOx sensor technology that deliver consistent performance at a cost effective figure.

PTZ THIP-P2078FM-IR



High Sensitivity

High thermal sensitivity makes cameras capture more image details and temperature difference information.



Fire Detection & Alarm

Because thermal cameras are sensitive to temperature, they have the ability to detect fire at long distances.



Smart Alarm Linkage

Ability to flash white lights, speak through the loudspeaker, and record snapshots when events are detected.

HD-AVS RECORDERS

IC Realtime's HD-AVS recorders bring the best of all worlds together with hybrid, tribrid, and pentabrid options. Resolve any surveillance installation requiring 1U to 2U units by deploying futureproof technology.



HDVR-EL1616-2U4K

16 Channel Coax + 16 IP 2U
Rackmount Multi Signal Avr - 8HDD -
HDAVS Resolution Up To 4Mp/30Fps
- IP Resolution Up To 12Mp/7Fps
(256Mbps) - HDAVS, TVI, AHD, CVBS,
IP, Signal Support



HDVR-EL3200-2U5MP-AI1

32 Channel Coax + 32 IP 2U
Rackmount Multi Signal Avr - 8HDD -
HDAVS Resolution Up To 5Mp/30Fps
- IP Resolution Up To 8Mp (128Mbps)
- HDAVS, TVI, AHD, CVBS, IP Signal
Support

IC REALTIME



HDVR-MX0404-1U4K-AI

4 Channel Coax + 4 IP 1U Shelfmount Multi Signal Avr - 1HDD - HDAVS Resolution Up To 8Mp/7Fps - IP Resolution Up To 8Mp/7Fps (32Mbps) - HDAVS, TVI, AHD, CVBS, IP Signal Support



HDVR-MX0808-1U4K-AI

8+8 Ch 1U Shelfmount 4K AVS, Analog, & IP 8MP Max IP Camera Support. 128Mbps Camera Throughput. Up to 20TB (No HDD Included).



HDVR-MX1616-1U4K-AI

16+16 Ch 1U Shelfmount 4K AVS, Analog, & IP 8MP Max IP Camera Support. 128Mbps Camera Throughput. Up to 20TB (No HDD Included).



HDVR-MX0402-1U5MP-AI

4 Channel Coax + 2 IP 1U Shelfmount Multi Signal Avr - 1HDD - 2Mp Coax, 6Mp IP Resolution (24Mbps) - HDAVS, TVI, AHD, CVBS, IP Signal Support



HDVR-MX0804-1U5MP-AI

8 Channel Coax + 4 IP 1U Shelfmount Multi Signal Avr - 1HDD - 5Mp Coax, 6Mp IP Resolution (24Mbps) - HDAVS, TVI, AHD, CVBS, IP Signal Support



HDVR-MX1608-1U5MP-AI

16 Channel Coax + 8 IP 1U Shelfmount Multi Signal Avr - 2HDD - 5Mp Coax, 6Mp IP Resolution (96Mbps) - HDAVS, TVI, AHD, CVBS, IP Signal Support



AVR-4M308

8 Channel Coax + 56 IP 2U Rackmount Multi Signal Avr - 8HDD - HDAVS Resolution Up To 4Mp/30Fps - IP Resolution Up To 12Mp/7Fps (256Mbps) - HDAVS, TVI, AHD, CVBS, IP Signal Support



HD-AVS DOME CAMERAS

IC Realtime's HD-AVS Dome Cameras feature best in class surveillance that performs exceptionally well in harsh weather conditions, offer vandal-proof options and more. Our proprietary technology allows for audio to be transmitted via a coaxial cable, so in most cases, additional cable is not required.



AVS-D8712SL-DP

8MP HD-AVS Indoor/Outdoor Mid Size Vandal Dome. iSniper. 3.7-11mm Motorized Lens (112° - 46°). 98 Feet Smart IR. Dual Voltage 12VDC/24VAC.



AVS-4KD8021-IR

8MP HD-AVS Indoor/Outdoor Mid Size Eyeball Dome. Fixed 2.8mm Lens (110°). 164 Feet Smart IR, Built-in MIC. 12VDC.



AVS-5MD5123-VIR-DP-M

5MP HDAVS Indoor/Outdoor Mid Size Eyeball Dome. Varifocal 2.7-12mm Motorized Lens (98° - 26°). 197 Feet Smart IR. Dual Voltage 12VDC/24VAC. Built in Mic



HDMX-D50V-IR-DP1

5MP HDAVS Indoor/Outdoor Mid Size Vandal Dome. Varifocal 2.7-13.5mm Motorized Lens (31° - 113°). 98 Feet Smart IR. Dual Voltage 12VDC/24VAC.

HD-AVS DOME CAMERAS



AVS-5MD4021-IR-M

5MP HDAVS Indoor/Outdoor Mid Size Eyeball Dome. Fixed 2.8mm Lens (98°). 164 Feet Smart IR. Built-in Mic, 12VDC.



AVS-5MD4025-IR

5MP HDAVS Indoor/Outdoor Mid Size Vandal Dome. Fixed 2.8mm Lens (100°). 90 Feet IR. 12VDC.



AVS-D2712SL

2MP HDAVS Indoor/Outdoor Full Size Vandal Dome. iSniper. 2.7-12mm Motorized Lens (95° - 36°). 150 Feet Smart IR. Dual Voltage 12VDC/24VAC.



AVS-D2218Z

2MP HDAVS Indoor/Outdoor Mid Size Vandal Dome. Varifocal 2.7-12mm Motorized Lens (100° - 30°). 90 Feet Smart IR. 12VDC.



ICR-300H4

2MP HDAVS Indoor/Outdoor Mid Size Eyeball Dome. Varifocal 2.7-12mm Lens (99° - 37°). 180 Feet Smart IR. 12VDC. (Black Housing)



ICR-300H4W

2MP HDAVS Indoor/Outdoor Mid Size Eyeball Dome. Varifocal 2.7-12mm Lens (99° - 37°). 180 Feet Smart IR. 12VDC. (White Housing)



ICR-200H

2MP HDAVS Indoor/Outdoor Mid Size Eyeball Dome. Fixed 2.8mm Lens (115°). 150 Feet Smart IR. 12VDC. (Black Housing)



ICR-200HW

2MP HDAVS Indoor/Outdoor Mid Size Eyeball Dome. Fixed 2.8mm Lens (115°). 150 Feet Smart IR. 12VDC. (White Housing)



ICR-PIR-IR


Covert Motion Detector AVS / Analog Camera W/3.7mm Lens - IR - 700TVL / 1080P

HD-AVS BULLET CAMERAS



HD-AVS BULLET CAMERAS

IC Realtime's HD-AVS Bullet Cameras feature exceptional performance and are built to withstand harsh weather conditions. Most offer extended viewing in 0 lux and feature rich picture quality. Our proprietary technology allows for audio to be transmitted via coaxial cable so in most cases, additional cable is not required.



HD-AVS BULLET CAMERAS



AVS-B8712SL-DP

8MP HDAVS Indoor/Outdoor Mid Size Bullet. iSniper. 3.7-11mm Motorized Lens (112° - 46°). 262 Feet Smart IR. Dual Voltage 12VDC/24VAC. Built in Mic



AVS-4KB8012-IR

8MP HD-AVS Indoor/Outdoor Mid Size Bullet. Fixed 2.8mm Lens (110°). 130 Feet Smart IR, Built in Mic. 12VDC.



AVS-5MB4010-IR-M

5MP HDAVS Indoor/Outdoor Mid Size Bullet. Fixed 3.6mm Motorized Lens (80°). 250 Feet Smart IR. 12VDC. Built in Mic



AVS-5MB4012-IR-M

5MP HDAVS Indoor/Outdoor Mid Size Bullet. Fixed 2.8mm Lens (79°). 130 Feet Smart IR. 12VDC. Built in Mic



AVS-B2712SL

2MP HDAVS Indoor/Outdoor Full Size Bullet. iSniper. 2.7-12mm Motorized Lens (95° - 36°). 150 Feet Smart IR. Dual Voltage 12VDC/24VAC.



AVS-B2218Z

2MP HDAVS Indoor/Outdoor Mid Size Bullet. iSniper. Varifocal 2.7-12mm Motorized Lens (100° - 30°). 262 Feet Smart IR. 12VDC. Built in Mic.



AVS-B2210

2MP HDAVS Indoor/Outdoor Small Size Bullet. Fixed 3.6mm Lens (70°). 65 Feet IR. 12VDC.



AVS-ID1-V

2MP HDAVS Indoor/Outdoor Mid Size License Bullet. Varifocal 5-50mm Lens (4° - 28°). 50 Feet Smart IR. 12VDC.

HD-AVS PTZ CAMERAS

IC Realtime's HD-AVS PTZ Cameras offer next generation ultra high performance and designed for powerful surveillance that can survive harsh weather. Equipped with dual voltage options and optics ranging from 12X to 30X powered zoom making them capable of distances up to 300ft.



AVS-Z230IR-V

2MP HDAVS Full Size PTZ. 30X Optical Zoom (4.5 - 135mm). 300 Feet Smart IR. 24VAC (Wall Mount Included).



AVS-Z430IR-V

4MP HDAVS Full Size PTZ. 30X Optical Zoom (4.5 - 135mm). 300 Feet Smart IR. 24VAC (Wall Mount Included).



AVS-P2012S

2MP HDAVS Mid Size PTZ. 12X Optical Zoom, Starlight, 24VAC (Wall Mount Included).



AVS-P2012T

2MP HDAVS Mid Size PTZ. 12X Optical Zoom, Starlight, 24VAC



MOUNTING ACCESSORIES

IC Realtime offers a range of mounting accessories and junction boxes that weatherproof & secure your installations while enhancing visual aesthetics.

MNT-Junction Box 1

Indoor Round Junction Box

MNT-Junction Box 3

Indoor/Outdoor Junction Box. Conduit Threaded Inputs.

MNT-Junction Box 4

Indoor/Outdoor Junction Box. Conduit Threaded Inputs.

MNT-Junction Box 5

Indoor/Outdoor Junction Box. Conduit Threaded Inputs.

MNT-Junction Box 6

Indoor/Outdoor Junction Box. Conduit Threaded Inputs.

MNT-Junction Box 7

Indoor/Outdoor Junction Box. Conduit Threaded Inputs.

MNT-Junction Box 8

Indoor/Outdoor Junction Box. Conduit Threaded Inputs.

MNT-Junction Box 9

Indoor/Outdoor Junction Box. Conduit Threaded Inputs.

MNT-ARM-MPB300S

Wall Arm Bracket with 1 1/2" Threads.

MNT-ARM-B

Wall Arm Bracket with 1 1/2" Threads.

MNT-ADAPT-SM

Adapter Plate And Mount For Wedge & Dome Cameras

MNT-IPMINIDOME-WALL

Indoor/Outdoor Mini Wall Mount Bracket.

MNT-IPMINIDOME-WALL2

Indoor/Outdoor Mini Wall Mount Bracket.

MNT-CEILING-MPA

Ceiling Mount Bracket with 1 1/2" Female Threads. Mounting Base Included. 7.5" Pole Length.

MNT-POLEXT-7.5

7.5" Pole Extension. 1 1/2" Thread Size

MNT-PCNRIP

Corner Mount Bracket (Outside Corner).

MNT-POLEIP

Pole Mount Bracket. Hose Clamps Included. Up to 5" Poles.

MNT-BOXMPA120

Small Backbox for MNT-ARM-MPB300S. Conduit Thread Inputs.

MNT-BOX 2

Large Backbox for MNT-ARM-MPB300S. Conduit Thread Inputs.

MNT-DVIR-MPA100

Adapter Plate for Large ICIP V1 Dome IP Cameras. 1 1/2" Threaded Adapter.

MNT-DVIR-V2

Adapter Plate for Large ICIP V2 Dome IP Cameras. 1 1/2" Threaded Adapter.

MNT-POL303

Parapet Mount Bracket for For PTZs And MNT-DVIR ADAPTORS.



POWER SUPPLIES

IC Realtime offers a wide array of power options to choose from including 12 to 24 volt, rack mountable, and a selection of channel and ampere ratings.

PWR-4DC-4A

4 Channel 12VDC Power Distribution Box. UL Listed. Resettable PTC Fused. 4 Amps Total.

PWR-4DC-8A

4 Channel 12VDC Power Distribution Box. UL Listed. Resettable PTC Fused. 8 Amps Total.

PWR-8DC-8A

8 Channel 12VDC Power Distribution Box. UL Listed. Resettable PTC Fused. 8 Amps Total.

PWR-8DC-16A

8 Channel 12VDC Power Distribution Box. UL Listed. Resettable PTC Fused. 16 Amps Total.

PWR-16DC-24A

16 Channel 12VDC Power Distribution Box. UL Listed. Resettable PTC Fused. 24 Amps Total.

PWR-12VDC

12VDC Individual Power Transformer. 2 Amp Total.

PWR-RM-16DC-10A

16 Channel 12VDC Rackmount Power Distribution 1U Unit. UL Listed. Resettable PTC Fused. 10 Amps Total.

PWR-RM-16AC-10A

16 Channel 24VAC Rackmount Power Distribution 1U Unit. UL Listed. Resettable PTC Fused. 10 Amps Total.

PWR-4AC-4A

4 Channel 24VAC Power Distribution Box. UL Listed. Resettable PTC Fused. 4 Amps Total.

PWR-4AC-8A

4 Channel 24VAC Power Distribution Box. UL Listed. Resettable PTC Fused. 8 Amps Total.

PWR-8AC-8A

8 Channel 24VAC Power Distribution Box. UL Listed. Resettable PTC Fused. 8 Amps Total.

PWR-16AC-16A

16 Channel 24VAC Power Distribution Box. UL Listed. Resettable PTC Fused. 16 Amps Total.

PWR-16AC-32A

16 Channel 24VAC Power Distribution Box. UL Listed. Resettable PTC Fused. 32 Amps Total.

PWR-24VACTRANS

24VAC Individual Power Transformer. 1.67 Amp UL Listed.

PWR-AC-24H

24VAC to 12VDC Power Convertor. 1 Amp Total.



NETWORK SWITCHES & ACCESSORIES

PWR-POE-8

8 Port Shelfmount POE Switch. 10/100/1000 Gigabit.
1 Gigabit Uplink. POE + 90W Total

POE PLUS INJECTOR

POE + Injector. Up to 30W

POE INJECTOR 65W

POE + Injector. Up to 65W (capable of powering
Hi-PoE IP cameras)

PWR-EPOE-8

8-Port Unmanaged EPoE Switch. 120W Total

PWR-EPOE-16

16-Port Managed EPoE Switch. 240W Total

PWR-EPOE-24

24-Port Managed EPoE Switch. 360W Total

Support Network

From day one, IC Realtime has strived to equip its dealers with complete end-to-end system solutions. Through natively integrating IC Realtime quality built solutions with leading control systems our award-winning technical team has become the best in the channel.

By listening & adapting to market demands we have achieved a strong understanding of what dealers need, day-in and day-out. Building a nationwide network of over 6,000 integrators has given us the ability to create the ultimate support network. All of this is to prove to you that IC Realtime is in it for the long haul with our dealers.

Connect With Us:

info@icrealtime.com
(866) 997-9009




10-Year Warranty



Lifetime Support

What else do
you need?



IC REALTIME HQ

Address

3050 N Andrews Ave Ext
Pompano Beach, FL USA 33064

Phone

(866) 997-9009
(954) 772-5327

Fax

(866) 860-3860
(954) 827 5900



IC REALTIME WEST

Address

14180 W Van Buren Street Suite B-105
Goodyear, AZ USA 85338

Phone

(866) 997-9009
(602) 910-3432

Fax

(866) 860-3860
(602) 626-3545



Visit us at www.icrealtime.com
Email us at info@icrealtime.com